



One hour of life, crowded to the full with glorious action, and filled with noble risks, is worth whole years of those mean observances of paltry decorum, in which men steal through existence, like sluggish waters through a marsh, without either honor or observation.

- Sir Walter Scott



APPENDIX

POPULATION, LOUISIANA AND EVANGELINE, 1997

Population numbers are taken from the 1997 Census estimates. All rates for 1997 are calculated based on these population estimates, unless otherwise noted. Racial classifications are white, African American and other.

Population, Louisiana, 1997 Race, Gender and Ages 0 - 49										
AGE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
White Males	92,464	95,806	101,082	109,796	99,896	98,344	102,700	118,456	117,760	102,707
White Females	88,256	91,640	96,305	104,742	96,774	100,675	102,847	117,355	116,580	103,679
African American Males	64,007	65,604	66,589	71,007	56,366	44,524	44,326	47,026	46,085	37,268
African American Female	s62,365	63,600	65,130	72,308	61,883	50,800	51,723	576,002	55,192	46,924
Other Males	3,381	3,171	3,359	3,541	3,412	3,001	2,870	2,908	2,665	2,316
Other Females	3,227	2,922	3,160	3,462	3,147	3,186	2,745	2,956	2,893	2,711

Population, Louisiana, 1997 Race, Gender and Ages 50 - 85+									
AGE	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	TOTAL
White Males	87,218	69,265	60,116	50,395	43,585	31,091	17,277	10,609	1,408,587
White Females	90,957	73,790	65,379	61,277	56,586	46,626	31,557	28,741	1,473,766
African American Males	26,616	20,943	17,541	15,326	11,775	8,531	4,904	4,088	652,526
African American Female	s 34,354	28,504	24,437	21,673	17,017	13,759	8,907	9,349	743,927
Other Males	1,694	1,269	944	596	444	284	184	157	36,196
Other Females	1,894	1,358	1,075	753	536	329	207	226	36,787

Population, Evangeline, 1997 Race, Gender and Ages 0 - 49										
AGE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
White Males	782	893	1,010	984	650	703	732	822	812	874
White Females	815	826	904	909	689	730	742	815	880	799
African American Males	526	461	475	514	386	276	260	265	284	233
African American Females	510	511	488	434	456	375	327	335	326	312
Other Males	4	4	1	6	1	6	3	1	4	0
Other Females	4	7	7	2	3	3	6	3	6	0

Population, Evangeline, 1997 Race, Gender and Ages 50 - 85+										
AGE	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	TOTAL	
White Males	721	614	584	493	493	360	188	115	11,830	
White Females	745	658	664	550	651	559	351	316	12,603	
African American Males	215	188	115	87	70	54	35	19	4,463	
African American Females	263	215	165	125	103	95	34	44	5,118	
Other Males	4	3	3	0	2	0	0	0	42	
Other Females	3	2	2	0	2	1	1	0	52	





FAMILY HEALTH

Prenatal Care

The term, "percent adequate prenatal care" is percent of live births care within the first trimester and a schedule of care throughout the pregnancy. Calculations are based on information on the birth certificate.

Low and very low birthweight

Percent of calendar-year live births at or below 2500 grams (low birthweight - 5 pounds 8 ounces or 5.5 lbs.) and at or below 1500 grams (very low birthweight - 3 pounds 5 ounces or 3.3 lbs.).

Births to teens

Other

Evangeline

White

Other

African American

Source: State Center for Health Statistics, 1998

Births to teens is calculated as a percent of live births to mothers of a certain age (usually below 20).

·	Total Births	% adequate prenatal care**	% low birthweight	% of live births to mothers under age 20
_ouisiana	65,947	75.4%	9.8%	18.5%
White	37,438	84.3%	6.7%	13.4%
African American	27,115	63.3%	14.1%	26.0%
Other	1,394	74.4%	7.1%	11.0%
Evangeline	585	69.0%	10.9%	23.1%
White	375	79.8%	7.3%	16.8%
African American	208	49.5%	16.9%	34.6%
Other	*	50.0%	16.7%	0.0%

by race of mother and gender of infant							
	All	Male	Female				
United States	4.8	5.2	4.3				
White	4.0	4.4	3.6				
African American	9.4	10.1	8.6				
Other	N/A	N/A	N/A				
Louisiana	6.2	6.9	5.5				
White	4.4	5.4	3.4				
African American	8.9	8.6	9.3				

2.9

3.4

2.7

4.8

0.0

3.0

3.4

0.0

9.5

0.0

2.7

3.5

5.4

0.0

0.0

Neonatal Infant Mortality Rate United States, Louisiana and Evangeline, 1997

live births in a year.

Infant Mortality Rate

Maternal mortality In 1997, fewer than five women in Louisiana died in childbirth. There was no reported maternal mortality in Evangeline Parish.

Infant mortality rate is the number of deaths to

infants under one year of age, per 1,000 live births in a year. The neonatal mortality rate is the number of deaths to infants under 28 days of age, per 1,000



Genetic Disease in Newborns Louisiana and Evangeline, 1997

Disease	Louisiana	Evangeline					
Congenital Hypothyroidism	8	0					
PKU	*	0					
Sickle- cell	100	0					
* fewer than five cases are not i	reported for reasons of confide	entiality					
Source: Genetic Disease Program, DHH-OPH, 1998.							

Congenital Hypothyroidism

Hypothyroidism is caused by the failure of the thyroid gland to develop. Infants who are not treated will suffer severe brain damage. If treated promptly, infants will develop normally.

Phenylketonuria (PKU)

PKU is a genetic disorder caused by the lack of a specific enzyme responsible for breaking down the amino acid phenylalanine. PKU can cause brain damage and mental retardation. Early detection and treatment can prevent or reduce brain damage.

Sickle cell disease

Sickle cell disease is an inherited disorder of red blood cells. Patients with this disorder suffer life-

long anemia and painful obstructions of small blood vessels. Early recognition and urgent management of infections can reduce the risk of death in the first year of life.

Injury-related Deaths by Cause and Gender, Louisiana, 1997 N=3118

			Total		
	Male		Female		
Cause	Number	Rate	Number	Rate	Number Rate
Cut/Pierce	53	2.5	28	1.2	81 1.9
Drowning/					
Submersion	126	6.0	18	**	144 3.3
Fall	117	5.6	105	4.7	222 5.1
Fire/Burn	60	2.9	35	1.6	95 2.2
Firearm	810	38.6	158	7.0	968 22.2
Machinery	26	1.2	*	**	28 0.6
Motor-vehicle/					
Traffic	605	28.8	300	13.3	905 20.8
Pedal Cyclist	*	**	*	**	* **
Pedestrian	12	0.6	*	**	16 **
Transport	34	1.6	*	**	36 0.8
Natural/Enviro.	22	1.0	5	**	27 0.6
Poisoning	152	7.2	79	3.5	231 5.3
Struck by/					
Against	28	1.3	*	**	30 0.7
Suffocation	97	4.6	63	2.8	160 3.7

Source: Injury Research and Prevention Program, 1998. Rates per 100,000 population, 1997 U.S. Census Population Estimates. Not shown here: "Other specificed" and "Unspecified" Fewer than five cases are not reported for reasons of confidentiality

^{**} Rates are not calculated for counts of fewer than 20 for reasons of stability



		ading Causes of Dea ee, Gender and Age		
	0 - 14 yrs	15 - 44 yrs	45 - 64 yrs	65+ yrs
	Cause	Cause	Cause	Cause
	No.(Rate)	No.(Rate)	No.(Rate)	No.(Rate)
		White Fer	nales	
0	Accidents/Injury 44 (15.9)	Accidents/Injury 141 (22.1)	Cancer 733 (219.6)	Heart Disease 3,823 (1700.7)
2	Perinatal Conditions	Cancer	Heart Disease	Cancer
	40 (14.5)	126 (19.7)	380 (113.8)	2,235 (994.3)
6	Congenital Anomalies	Suicide	Diabetes	Stroke
	39 (14.1)	57 (8.9)	83 (24.9)	948 (421.7)
4	Cancer	Heart Disease	COPD	COPD
	6 (*)	55 (8.6)	73 (21.9)	496 (220.7)
6	Heart disease 5 (*)	Homicide 31 (4.9) African America	Stroke 67 (20.1)	Diabetes 433 (192.6)
0	Perinatal Conditions 97 (50.8)	Cancer 114 (32.8)	Cancer 399 (297.3)	Heart Disease 1,254 (1773.6)
0	Congenital Anomalies	Heart Disease	Heart Disease	Cancer
	31 (16.2)	75 (21.6)	347 (258.5)	764 (1080.6)
€	Accidents/Injury	Homicide	Diabetes	Stroke
	26 (13.6)	69 (19.8)	125 (93.1)	358 (506.3)
4	Cancer	Accidents/Injury	Stroke	Diabetes
	9 (*)	61 (17.5)	82 (61.1)	316 (446.9)
6	Homicide	HIV	Accidents/Injury	Pneumonia/Flu
	8 (*)	54 (15.5)	31 (23.1)	118 (166.9)

^{*} Fewer than five cases are not reported for reasons of confidentiality. Rates are not calculated when there are fewer than 20 deaths for reasons of reliability. Rates are per 100,000 race, gender and age specific population. From the U.S. Census, 1997. Estimates released 9/4/98.



		ading Causes of Dea ce, Gender and Age	ath, Louisiana, 1997 by Top Five Causes	
	0 - 14 yrs	15 - 44 yrs	45 - 64 yrs	65+ yrs
	Cause	Cause	Cause	Cause
	No.(Rate)	No.(Rate)	No.(Rate)	No.(Rate)
		White M	ales	
0	Perinatal Conditions 60 (20.7)	Accidents/Injury 431 (66.6)	Cancer 902 (282.5)	Heart Disease 3,233 (2113.7)
2	Accidents/Injury	Suicide	Heart Disease	Cancer
	51 (17.6)	180 (27.8)	887 (277.8)	2,366 (1546.8)
6	Congenital Anomalies	Heart Disease	Accidents/Injury	Stroke
	45 (15.6)	162 (25.0)	167 (52.3)	558 (364.8)
4	Septicemia	Cancer	Diabetes	COPD
	8 (*)	121 (18.7)	89 (27.9)	531 (347.2)
6	Cancer 7 (*)	Homicide 77 (11.9) African Amer	Stroke 84 (26.3)	Pneumonia/Flu 320 (209.2)
0	Perinatal Conditions	Homicide	Heart Disease	Cancer
	104 (53.0)	372 (120.3)	499 (487.5)	940 (2106.5)
2	Accidents/Injury	Accidents/Injury	Cancer	Heart Disease
	38 (19.4)	233 (75.3)	494 (482.6)	934 (2093.0)
€	Congenital Anomalies 34 (17.3)	HIV 167(54.0)	Stroke 94 (91.8)	Stroke 216 (484.0)
4	Homicide	Heart Disease	Diabetes	Diabetes
	9 (*)	125 (40.4)	91 (88.9)	170 (381.0)
6	Pneumonia/Flu	Cancer	Accidents/Injury	COPD
	7 (*)	76 (24.6)	71 (69.4)	127 (284.6)

^{*} Fewer than five cases are not reported for reasons of confidentiality. Rates are not calculated when there are fewer than 20 deaths for reasons of reliability. Rates are per 100,000 race, gender and age specific population. From the U.S. Census, 1997.



			th, Louisiana, 1988 - 19 ge by Top Five Causes	97
	0 - 14 yrs Cause No.(Rate)	15 - 44 yrs Cause No.(Rate)	45 - 64 yrs Cause No.(Rate)	65+ yrs Cause No.(Rate)
		White	e Females	
0	Perinatal Conditions 52.0 (17.4)	Accidents/Injury 139.1 (21.3)	Cancer 742.6 (248.8)	Heart Disease 3908.5 (1785.5)
2	Congenital Anomalies 45.6 (15.3)	Cancer 133.3 (20.4)	Heart Disease 400.0 (134.0)	Cancer 1971.3 (900.5)
8	Accidents/Injury 34.3 (11.5)	Heart Disease 54.0 (8.3)	Stroke 75.4 (25.3)	Stroke 892.5 (407.7)
4	Cancer 8.5 (2.9)	Suicide 53.1 (8.1)	COPD 70.6 (23.7)	COPD 418.8 (191.3)
6	Heart Disease 8.0 (2.7)	Homicide 31.5 (4.8)	Diabetes 66.4 (22.3)	Pneumonia/Flu 373.1 (170.4)
0	Perinatal Conditions 98.9 (50.1)	African Ame Cancer 105.6 (31.6)	Cancer 355.3 (322.1)	Heart Disease 1374.3 (1997.7)
2	Congenital Anomalies 39.4 (20.0)	Heart Disease 79.2 (23.7)	Heart Disease 354.2 (321.2)	Cancer 700.2 (1017.8)
6	Accidents/Injury 32.9 (16.7)	Homicide 72.0 (21.5)	Diabetes 94.0 (85.2)	Stroke 339.5 (493.5)
4	Heart Disease 8.4 (4.3)	Diabetes 59.3 (17.7)	Stroke 88.3 (80.1)	Diabetes 259.6 (377.4)
6	Homicide 7.0 (3.5)	HIV 34.0 (10.2)	Accidents/Injury 26.0 (23.6)	Pneumonia/Flu 101.1 (147.0)

^{*} Fewer than five cases are not reported for reasons of confidentiality. Rates are not calculated when there are fewer than 20 deaths for reasons of reliability. Rates are per 100,000 race, gender and age specific population. From the U.S. Census, 1997.



		_	, Louisiana, 1988 - 1997 by Top Five Causes	
	0 - 14 yrs Cause No.(Rate)	15 - 44 yrs Cause No.(Rate) White	45 - 64 yrs Cause No.(Rate)	65+ yrs Cause No.(Rate)
0	Perinatal Conditions	Accidents/Injury	Heart Disease	Heart Disease
	64.6 (20.6)	472.0 (71.3)	1014.1 (360.0)	3197.0 (2206.7)
2	Accidents/Injury	Suicide	Cancer	Cancer
	54.7 (17.4)	191.4 (29.0)	935.4 (332.1)	2300.7 (1588.0)
6	Congenital Anomalies 54.1 (17.2)	HIV 186.9 (28.2)	Accidents/Injury 142.5 (50.6)	Stroke 530.6 (366.2)
4	Cancer	Heart Disease	Stroke	COPD
	10.6 (3.4)	146.9 (22.2)	91.7 (32.6)	493.6 (340.7)
6	Heart Disease 7.3 (2.3)	Cancer 131.6 (19.9) African Am	COPD 85.0 (30.2) erican Males	Pneumonia/Flu 297.3 (205.2)
0	Perinatal Conditions	Homicide	Heart Disease	Heart Disease
	125.9 (62.5)	431.7 (147.2)	495.4 (588.6)	1075.3 (2445.4)
2	Accidents/Injury 53.1 (26.3)	Accidents/Injury 231.5 (79.0)	Cancer 470.9 (560.0)	Cancer 919.3 (2090.6)
8	Congenital Anomalies	HIV	Stroke	Stroke
	40.3 (20.0)	150.2 (51.2)	99.2 (117.9)	239.0 (543.5)
4	Homicide	Heart Disease	Diabetes	Diabetes
	12.2 (6.05)	132.5 (45.2)	73.6 (87.5)	125.4 (285.2)
6	Pneumonia/Flu	Cancer	Accidents/Injury	COPD
	9.7 (4.81)	84.2 (28.7)	70.3 (83.5)	119.9 (272.7)

^{*} Fewer than five cases are not reported for reasons of confidentiality. Rates are not calculated when there are fewer than 20 deaths for reasons of reliability. Rates are per 100,000 race, gender and age specific population. From the U.S. Census, 1997.



Conditions or Events that are Reportable to the Office of Public Health

"It is hereby made the duty of every physician practicing medicine in the State of Louisiana to report to the State Health Officer, through the Health Unit of the parish or municipality wherein such physician practices, any case or suspected case of reportable disease which he is attending, or has examined, or for which such physician has prescribed. The report shall be made promptly at the time the physician first visits, examines or prescribes for the patient, and such report shall state the name, age, sex, race, usual residence, place where the patient is to be found, the nature of the disease and the date of onset." (Sanitary Code, State of Louisiana: Chapter 2, Sec. 2:004; Rev. 3-84) In addition to physician reporting, laboratories are required to report the results of tests which either confirm or suggest the occurrence of reportable diseases as specified by law. Additionally, Sec. 2:006 states "It shall be the duty of every osteopath, coroner, medical examiner, dentist, homeopath, infection control practitioner, medical records director, nurse, nurse midwife, nurse practitioner, pharmacist, physician assistant, podiatrist, social worker, veterinarian, and any other health care professional to report a confirmed case of reportable disease as specified in Section 2:003 in which he or she has examined or evaluated, or for which he or she is attending or has knowledge."

REPORTABLE COMMUNICABLE DISEASES

Acquired Immune Deficiency Syndrome (AIDS)

Amebiasis

Arthropod-borne encephalitis

(Specify type) Blastomycosis

Botulism1

Campylobacteriosis

Chancroid²

Chlamydial infection² Cholera¹

Cryptosporidiosis

Diphtheria

Enterococcus (infection; resistant to vancomycin)

Escherichia coli 0157:H7 infection

Gonorrhea²

Haemophilus influenzae infection1 Hemolytic-Uremic Syndrome Hepatitis, Acute (A, B, C, Other)

Hepatitis B carriage in pregnancy

Herpes (neonatal)

Human Immunodeficiency Virus (HIV) infection³

Legionellosis

Lyme Disease

Lymphogranuloma venereum²

Malaria

Measles (rubeola)1

Meningitis, other bacterial or fungal

Mumps

Mycobacteriosis, atypical4

Neisseria meningitidis infection¹

Pertussis

Rabies (animal & human)

Rocky Mountain Spotted Fever

(RMSF)

Rubella (German measles)

Rubella (congenital syndrome)

Salmonellosis

Shigellosis

Staphylococcus aureus (infection;

resistant to methicillin/oxacillin or vancomycin)

Streptococcus pneumoniae

(infection; resistant to penicillin)

Syphilis²

Tetanus

Tuberculosis4

Typhoid fever Varicella (chickenpox)

Vibrio infections (excluding cholera)1

All reportable diseases and conditions other than the venereal diseases, tuberculosis and those conditions with (*) should be reported on an EPI-2430 card and forwarded to the local parish health unit or the

Epidemiology Section

P.O. Box 60630

New Orleans, LA 70160

504-568-5005 or

1-800-256-2748 or

504-568-5006 fax.

All facsimile transmissions are considered as part of the confidential disease case report, and as such, are not subject to disclosure.

- 1 Report suspected cases immediately by telephone. In addition, all cases of rare or exotic communicable diseases and all outbreaks shall be reported.
- ² Report on STD-43 form. Report cases of syphilis with active lesions by telephone.
- ³ Report on EPI-2430 card. Name and street address are optional but city and ZIP code must be recorded.
- ⁴ Report on CDC 72.5 (f. 5.2431) card.



Other Reportable Conditions

Cancer

Complications of abortion Congenital hypothyroidism*

Galactosemia*

Hemophilia*

Lead Poisoning

Phenylketonuria*

Reye's Syndrome

Severe traumatic head injury**

Severe under nutrition (severe anemia, failure to thrive)

Sickle cell disease (newborns)*

Spinal cord injury**

Sudden infant death syndrome (SIDS)

^{*} Report to the Louisiana Genetic Diseases Program Office by telephone 504-568-5070 or FAX 504-568-7722.

^{**} Report on DDP-3 form; preliminary phone report from ER encouraged 504-568-2509.